

WOODARD, EMHARDT, MORIARTY, MCNETT & HENRY LLP

KURT N. JONES
HOLIDAY W. BANTA
TROY J. COLE
CHARLES J. MEYER
LISA A. HIDAY
CHRISTOPHER A. BROWN
SCOTT J. STEVENS
CHARLES P. SCHMAL
JOHN M. BRADSHAW
QUENTIN G. CANTRELL
JOHN J. EMANUELE
MICHAEL S. WHERRY

PATENT AND TRADEMARK ATTORNEYS
FOUNDED 1879
111 MONUMENT CIRCLE, SUITE 3700
INDIANAPOLIS, INDIANA 46204-5137
(317) 634-3456
FAX (317) 637-7561
www.uspatent.com

DOUGLAS G. GALLAGHER
MARTA L. PUCKETT
ELIZABETH A. SHUSTER
TIMOTHY B. PAUL
TERESA E. KNIGHT
KRISTOPHER T. LYNCH
ADAM W. BORGMAN
WILLIAM A. MCKENNA*
MARK T. STEPHENSON*
JAMES R. BLAUFUSS
*NOT ADMITTED TO PATENT BAR

C. DAVID EMHARDT
JOSEPH A. NAUGHTON
EDWARD E. SOWERS
OF COUNSEL
HAROLD R. WOODARD
(1911-2003)

November 6, 2006

Assistant Commissioner of Patents
U.S. Patent and Trademark Office
P. O. Box 1450
Alexandria, VA 22313-1450
ATTN: Decision and Certificate of Correction
Branch of the Patent Issue Division

Re: Request for Certificate of Correction of Patent (37 CFR § 1.322)
U.S. Patent No. 7,066,204
Issued June 27, 2006
MULTI-PORT DIVERTER VALVE ASSEMBLY WITH INTEGRAL DETENT
Application Serial No. 10/629,799
Filed July 29, 2003
Our Ref.: 8271-26

Dear Sir:

A Certificate of Correction of the above-identified patent is respectfully requested to correct certain errors of a clerical or typographical nature or of minor character which appear in the patent as issued.

The exact locations where the errors occur and the necessary corrections are indicated on the attached form PTO/SB/44 (10-96), which form as prepared is suitable for printing. It is believed that the errors as set out were made on the part of the Patent and Trademark Office. Therefore, we are not enclosing a remittance fee. However, if any fees are required in order to complete the Certificate of Correction, please charge them to Deposit Account No. 23-3030.

Please send the Certificate to Woodard, Emhardt, Moriarty, McNett & Henry, LLP, 111 Monument Circle, Suite 3700, Indianapolis, Indiana 46204. A duplicate of the completed form PTO/SB/44 (10-96) is attached.

Respectfully submitted,

By James M. Durlacher
James M. Durlacher, Reg. No. 28,840
Woodard, Emhardt, Moriarty, McNett & Henry LLP

8271-26:JMD:#429100:ss
Enclosures

Certificate
NOV 15 2006
of Correction
NOV 15 2006

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,066,204

DATED : June 27, 2006

INVENTOR(S) : Garry R. Marty

It is certified that an error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 8,

Line 38, replace "flaw" with -- flow -- .

MAILING ADDRESS OF SENDER:

James M. Durlacher
Woodard Emhardt Moriarty McNett & Henry LLP
Bank One Center/Tower
111 Monument Circle, Suite 3700
Indianapolis, IN 46204-5137

PATENT NO. 7,066,204

No of Additional Copies 1

8271-26:JMD

NOV 15 2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,066,204

DATED : June 27, 2006

INVENTOR(S) : Garry R. Marty

It is certified that an error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 8,

Line 38, replace "flaw" with -- flow -- .

MAILING ADDRESS OF SENDER:

James M. Durlacher
Woodard Emhardt Moriarty McNett & Henry LLP
Bank One Center/Tower
111 Monument Circle, Suite 3700
Indianapolis, IN 46204-5137

PATENT NO. 7,066,204

No of Additional Copies 1

8271-26:JMD

NOV 15 2006

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.